

Scholar All articles - [Recent articles](#) Results 1 - 10 of about 175,000 for **phrase translation natural language**. (0.65 seconds)

All Results
[A Berger](#)
[E Brill](#)
[J Barwise](#)
[T Winograd](#)
[C Manning](#)
[A maximum entropy approach to natural language processing](#) - [all 25 versions »](#)

Al Berger, VJ Della Pietra, SA Della Pietra - Computational Linguistics, 1996 - portal.acm.org
 ... the predictive capacity of statistical models of **natural language**. ... each sample would consist of a **phrase** x containing ... in, together with the **translation** y of in ...

[Cited by 1118](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Statistical phrase-based translation](#) - [all 30 versions »](#)

P Koehn, FJ Och, D Marcu - ... Linguistics on Human **Language** Technology-Volume 1, 2003 - portal.acm.org
 ... **translation** anywhere in the sentence (we call it a **translation** option), we multiply its **phrase translation** probability with the **language** model probability for ...

[Cited by 381](#) - [Related Articles](#) - [Web Search](#)

[Generalized quantifiers and natural language](#) - [all 3 versions »](#)

J Barwise, R Cooper - Linguistics and Philosophy, 1981 - Springer

... There is strong evidence that the **phrases** labelled as ... GENERALIZED QUANTIFIERS AND **NATURAL LANGUAGE** ... structure is not reflected in the **translation** of sentences ...

[Cited by 1956](#) - [Related Articles](#) - [Web Search](#)

[A phrase-based, joint probability model for statistical machine translation](#) - [all 15 versions »](#)

D Marcu, W Wong - ... Empirical methods in **natural language** processing-Volume 10, 2002 - portal.acm.org
 ... is impossible to learn that the **phrase** "bc" in ... Figure 1.b and learns the **translation** probabilities shown ... of the Conference on Empirical Methods in **Natural** ...

[Cited by 154](#) - [Related Articles](#) - [Web Search](#)

[A hierarchical phrase-based model for statistical machine translation](#) - [all 10 versions »](#)

D Chiang - Proceedings of the 43rd Annual Meeting on Association for ..., 2005 - portal.acm.org

... Our experiments were on Mandarin-to-English **translation**. ... baseline system, the state-of-the-art **phrase-based** system ... 7.2M+9.2M words); for the **language** model, we ...

[Cited by 157](#) - [Related Articles](#) - [Web Search](#)

[The effects of query structure and dictionary setups in dictionary-based cross-language information ...](#) -

[all 4 versions »](#)

A Pirkola - Proceedings of the 21st annual international ACM SIGIR ..., 1998 - portal.acm.org

... (2) **Natural language** word and **phrase** based que ... will demonstrate that the approach adopted in the study solves successfully the **translation** polysemy and the ...

[Cited by 161](#) - [Related Articles](#) - [Web Search](#)

[Natural Language Understanding Using Statistical Machine Translation](#) - [all 10 versions »](#)

K Macherey, FJ Och, H Ney - Seventh European Conference on Speech Communication and ..., 2001 - ISCA

... The **phrase translation** probability $\hat{O}^T P \mu$ of ... Della Pietra, "Statistical **Natural Language** Understand- ing ... for Statistical Machine **Translation**," in EMNLP ...

[Cited by 25](#) - [Related Articles](#) - [Web Search](#)

[\[BOOK\] Understanding Natural Language](#)

T Winograd - 1972 - Academic Press, Inc. Orlando, FL, USA

[Cited by 1023](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Method and system for natural language translation](#) - [all 8 versions »](#)

PF Brown, J Cocke, SA Della Pietra, VJ Della ... - US Patent 5,768,603, 1998 - Google Patents
... [ii] Patent Number: 5,768,603 Brown et al. [54] METHOD AND SYSTEM FOR **NATURAL LANGUAGE TRANSLATION** [75] Inventors: Peter Fitzhugh Brown, New York; John Cocke. ...

[Cited by 96](#) - [Related Articles](#) - [Web Search](#)

Base Noun Phrase translation using web data and the EM algorithm - all 15 versions »

Y Cao, H Li - Proceedings of the 19th international conference on ..., 2002 - portal.acm.org

... Recently, a new trend arises in **natural language** processing, which tries to ... data on the **web** to create a **translation** dictionary. ... 3. Base Noun **Phrase Translation** ...

[Cited by 58](#) - [Related Articles](#) - [Web Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

phrase translation natural language

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google

Scholar All articles - [Recent articles](#) Results 1 - 10 of about 74,700 for [combine string distance](#). (0.17 seconds)

All Results

[W Cohen](#)
[M Bilenko](#)
[P Ravikumar](#)
[S Fienberg](#)
[R Mooney](#)

[PDF] [A comparison of **string distance** metrics for name-matching tasks - all 10 versions »](#)
 WW Cohen, P Ravikumar, SE Fienberg - Proceedings of the IJCAI-2003 Workshop on Information ... 2003 - [isi.edu](#)

... learning has been used for learning the parameters of **string-edit distance** metrics (Ristad & Yianilos 1998; Bilenko & Mooney 2002) and **combining** the results of ...
[Cited by 221](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Learning to **combine** trained **distance** metrics for duplicate detection in databases - all 3 versions »](#)

M Bilenko, RJ Mooney - Submitted to CIKM-2002, 2002 - [cs.utexas.edu](#)
 ... We consider an extended model of edit **distance** and employ a ... bag of words" metrics versus **string**-based edit ... learn an appropriate function for **combining** them [2 ...
[Cited by 42](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Learning **string-edit distance** - all 13 versions »](#)

ES Ristad, PN Yianilos, MT Inc, NJ Princeton - Pattern Analysis and Machine Intelligence, IEEE Transactions ... 1998 - [ieeexplore.ieee.org](#)
 ... Our tech- niques are applicable to any **string** classification problem that may be solved using a **string distance** function against a database of labeled ...
[Cited by 260](#) - [Related Articles](#) - [Web Search](#)

[Adaptive duplicate detection using learnable **string similarity** measures - all 11 versions »](#)

M Bilenko, RJ Mooney - Proceedings of the ninth ACM SIGKDD international conference ... 2003 - [portal.acm.org](#)
 ... and matching [4]. Typically, standard **string** simi- larity metrics such as edit **distance** [9] or ... use of pairing functions that **combine** multiple standard ...
[Cited by 175](#) - [Related Articles](#) - [Web Search](#)

[PDF] [Distance Measurement and Wave Dispersion in a Liouville-String Approach to Quantum Gravity - all 5 versions »](#)

G Amelino-Camelia, J Ellis, NE Mavromatos, DV ... - Arxiv preprint hep-th/9605211, 1996 - [arxiv.org](#)
 ... as in the previous approach to **combining** quantum mechanics ... For the **string** framework [11], it is ... some conclusions, and compares the **distance** uncertainty derived ...
[Cited by 143](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Adaptive name matching in information integration - all 10 versions »](#)

M Bilenko, R Mooney, W Cohen, P Ravikumar, S ... - Intelligent Systems, IEEE [see also IEEE Intelligent Systems ... 2003 - [ieeexplore.ieee.org](#)
 ... to a specific domain by **combining** multiple **string** ... that functions that accurately measure two **strings'** similarity are ... Edit **distance** An important class of such ...
[Cited by 101](#) - [Related Articles](#) - [Web Search](#)

[PDF] [A comparison of **string** metrics for matching names and records - all 6 versions »](#)

W Cohen, P Ravikumar, S Fienberg - KDD Workshop on Data Cleaning and Object Consolidation, 2003 - wcohen.com

... below. **SecondString** also supports some hybrid **distance** functions, which **combine** token-based and **string-based** matching schemes. In ...

[Cited by 50](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Exploiting dictionaries in named entity extraction: combining semi-Markov extraction processes and ...](#) - [all 11 versions »](#)

WW Cohen, S Sarawagi - Proceedings of the 2004 ACM SIGKDD international conference ..., 2004 - portal.acm.org

... this information extraction process is to answer queries which **combine** information ... 2.6 **Distance** Features Since we are no longer classifying tokens, but are ...

[Cited by 60](#) - [Related Articles](#) - [Web Search](#)

[The string edit distance matching problem with moves](#) - [all 9 versions »](#)

G Cormode, S Muthukrishnan - ACM Transactions on Algorithms (TALG), 2007 - portal.acm.org

... in Section 3. In Section 4, we give our results for other related problems based on approximating the **string distance**, and concluding remarks are in Section 5. ...

[Cited by 59](#) - [Related Articles](#) - [Web Search](#)

[Decision-level fusion in fingerprint verification](#) - [all 14 versions »](#)

S Prabhakar, AK Jain - Pattern Recognition, 2002 - Elsevier

... Euclidean **distance** is computed between the input representation ... Next, we **combine** the four available fingerprint ... training data for the **String+Filter** combination ...

[Cited by 109](#) - [Related Articles](#) - [Web Search](#)

Google

Result Page:

1 2 3 4 5 6 7 8 9 10

[Next](#)

combine string distance

[Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google